ELSEVIER

Thin Solid Films 334 (1998) 230

thin solid films

Author Index of Volume 334

Adachi, S. 87
Ando, N. 182
Aoki, S. 11
Asaoka, R. 44

Baba, S. 192
Baba, T. 25
Ban, D. 20
Bulla, D.A.P. 60

Chao, S. 103
Chen, M.-L. 77
Chen, Y.G. 201
Cheng, L.H. 125
Cui, J. 178
Cui, J.B. 156

Deng, L. 98
Doyama, M. 209, 214, 219
Du, P. 6

Fang, R. 20, 178
Fang, R.C. 156
Fujimoto, T. 140
Fujita, S. 11
Fujita, S. 11
Fujiwara, Y. 11, 44
Fukumoto, N. 140
Funakubo, H. 71, 87
Funato, M. 11

Gong, S. 98

Han, G. 6
Han, J.G. 133
Han, S. 178
Hirai, K. 109
Hiroyama, Y. 1
Honda, K. 140
Hozumi, A. 54
Huang, J.H. 125
Hung, N.V. 113

Ikuta, K. 49
Inoue, Y. 49
Ishida, M. 223

Ju, B.K. 65

Kakishita, K. 25
Kang, J. 82
Kikuchi, K. 92
Kim, S.S. 133
Kinbara, A. 151
Kishimoto, K. 92
Kitagawa, M. 151
Kogure, Y. 209, 214, 219
Kojima, I. 140
Kumagai, M. 109
Kuroda, Y. 151
Kusano, E. 151

Le, D. 178
Lee, K.B. 65
Lee, S.G. 120
Lee, S.Y. 133
Li, B. 140
Li, J. 178
Li, J.Q. 156
Li, M. 178
Li, M. 82
Lian, G. 82
Liao, Y. 156
Liu, B.X. 196, 201
Liu, Y. 103
Lu, E. 20
Lungu, C.P. 173

Maruta, K. 92
Masuda, Y. 87
Matsumoto, S. 92
Matsunaga, O. 30
Meng, G.Y. 145
Miyashita, F. 109
Mizutani, N. 71, 87
Mori, I. 35
Moriga, T. 35
Morimoto, N.I. 60

Nagano, D. 71
Nagata, S. 87
Nakabayashi, I. 35
Nakagiri, N. 161
Nakano, T. 192
Nanto, H. 151
Ngoc, N.T.B. 40, 113
Nha, N.V. 40, 113
Nittono, O. 206
Nozaki, T. 219
Nukeaw, J. 11, 44

Ohnuki, N. 192
Okazaki, S. 187

Pan, F. 196
Peng, D.K. 145

Rudiono, 187

Saiki, A. 71
Sakamoto, Y. 161
Sakurai, O. 87
Sakurai, T. 92
Sarinanto, M.M. 15
Sasaki, Y. 117
Shang, N. 178
Shang, N.G. 156
Shao, Q. 178
Shieu, F.S. 125
Shinozaki, K. 71, 87
Shou, J. 6
Song, Y. 92
Suda, T. 25
Sugimura, H. 161
Sugiyama, T. 206
Sumitani, N. 120
Sung, Y.C. 125
Suzuki, T. 192

Tajima, N. 165
Takahata, T. 30
Takai, O. 49, 54, 161, 165, 173, 209
Takano, H. 109
Takano, J.-i. 209
Takaya, M. 161
Takeda, Y. 11, 44
Takei, T. 120
Takeshima, Y. 71
Takeuchi, M. 182, 187
Taki, Y. 165
Tamura, M. 1
Tanabe, K. 87
Tominaga, K. 35
Tsutsui, K. 15

Umezu, N. 35
Utsumi, K. 30

Wakiya, N. 87
Wang, H. 103
Wang, T. 103
Wu, C.-M. 77
Wu, T.-B. 77

Xiao, S. 173
Xie, S. 145
Xiong, G. 82
Xu, H. 98
Xu, P. 103
Xu, P. 20
Xue, J. 20

Yamada, T. 109
Yamaguchi, Y. 15
Yamaguchi, Y. 223
Yamamoto, H. 120
Yamamura, Y. 223
Yamashita, T. 117
Yokota, K. 109
Yokotsuka, T. 219
Yoshiyama, N. 120
Yu, G.P. 125

Zhang, M. 196
Zhao, D. 6
Zhao, X. 103

0040-6090/98/$ - see front matter © 1998 Elsevier Science S.A. All rights reserved
PII S0040-6090(98)01475-8

ELSEVIER

Thin Solid Films 334 (1998) 231–234

thin solid films

Subject Index of Volume 334

(100) Textured diamond film
AlN ceramic substrate; HFCVD, 178
AlN ceramic substrate
(100) Textured diamond film; HFCVD, 178
Alkaline storage battery
Nickel oxide electrode; Electrochemical impregnation; Electrochemical deposition, 117
Alloy film
Giant magnetoresistance (GMR); Nanogranular; Multilayer, 206
Alloy
Copper; Indium; Hall coefficient, 192
Alternative deposition
Reactive sputtering; Thin film; $Sr_{1-x}Na_xCuO_2$; Infinite-layer structure, 120
Aluminum nitride
Microwave plasma; CVD, 145
Arbitrary temperature
Atomic scale dynamics; Epitaxial growth; Crystal growth process, 209
Arc ion plating
CrN; Bias effect; Edge effect; Macro-particle, 133
Atomic scale dynamics
Epitaxial growth; Crystal growth process; Arbitrary temperature, 209
$Ba(Ti_{0.88}Zr_{0.12})O_3$ (BTZ)
Sputtering; Thin films; Dielectric constant; Leakage current, 77
Band offset
Photoemission; Synchrotron radiation; Tight binding, 20
Bias effect
CrN; Edge effect; Macro-particle; Arc ion plating, 133
Buffer layer
$GaAs/ZnSe/CaF_2$; Ionicity; Wettability, 15
CVD
Aluminum nitride; Microwave plasma, 145
Carbon
Nitride; Hardness; Ion plating, 165
Chemical vapor deposition
Diamond growth; Discharge process, 156
Coalescence
Transmission electron microscopy; Molecular beam epitaxy; Heteroepitaxy; Nucleation, 1
Compositionally gradient interlayers
Multicompositional coatings; Enhanced adhesion strength; ZrN; TiN, 151
Computer simulation
Molecular dynamics; Micro-tribology; Silicon, 221
Conducting polymer
Polymer grafted carbon black; Thin film resistor, 182
Copper
Indium; Alloy; Hall coefficient, 192
Simulation; Punching; Thin film; Molecular dynamics, 214
CrN
Bias effect; Edge effect; Macro-particle; Arc ion plating, 133
Crystal growth process
Atomic scale dynamics; Epitaxial growth; Arbitrary temperature, 209
Crystallization
$SrBi_2Ta_2O_9$ thin film; Lateral force microscopy; X-ray diffraction, 65
Diamond growth
Discharge process; Chemical vapor deposition, 156
Diamond
Plasma CVD; Platinum; Micropattern, 161
Dielectric constant
$Ba(Ti_{0.88}Zr_{0.12})O_3$ (BTZ); Sputtering; Thin films; Leakage current, 77
Dielectric property
Strontium titanate; Orientation, 71
Dielectric
Thin films; Titanium oxide; Solid-state reaction; Silicon, 109
Discharge process
Diamond growth; Chemical vapor deposition, 156
EB-PVD
TBCs; Thermal barrier effect, 98
Edge effect
CrN; Bias effect; Macro-particle; Arc ion plating, 133
Electric field
ZnSe/GaAs heterointerface; Fast Fourier transform; Photorefl ectance, 11
Electrical properties
Zinc phosphide (Zn_3P_2); Metalorganic chemical vapor deposition (MOCVD); Thin films, 25
Electrochemical deposition
Alkaline storage battery; Nickel oxide electrode; Electrochemical impregnation, 117
Electrochemical impregnation
Alkaline storage battery; Nickel oxide electrode; Electrochemical deposition, 117
Enhanced adhesion strength
Multicompositional coatings; Compositionally gradient interlayers; ZrN; TiN, 151
Epitaxial growth
III–V compound semiconductors; Sputtering; Nitride, 49
Atomic scale dynamics; Crystal growth process; Arbitrary temperature, 209
Epitaxy
Laser deposition; Oxides; Structural properties, 82
Fast Fourier transform
ZnSe/GaAs heterointerface; Electric field; Photoreflectance, 11
Fcc iron
Magnetic properties; Multilayers, 196

0040-6090/98/$ - see front matter © 1998 Elsevier Science S.A. All rights reserved.
PII S0040-6090(98)01476-X

Films
Metallic glasses; Solid-state reaction; Immiscible, 201
Fluroalkylsilane
Silicon oxide; Water-repellency; Plasma CVD, 54
GaAs/ZnSe/CaF_2
Ionicity; Buffer layer; Wettability, 15
Giant magnetoresistance (GMR)
Nanogranular; Alloy film; Multilayer, 206
HFCVD
(100) Textured diamond film; AlN ceramic substrate, 178
Hall coefficient
Copper; Indium; Alloy, 192
Hardness
Carbon; Nitride; Ion plating, 165
Heteroepitaxy
Transmission electron microscopy; Molecular beam epitaxy; Nucleation; Coalescence, 1
Hydrogen radical
Multilayer film; Interface; Structure, 6
III–V compound semiconductors
Sputtering; Nitride; Epitaxial growth, 49
ITO
Sputtering target; Resistivity, 30
Immiscible
Metallic glasses; Solid-state reaction; Films, 201
InP/InGaAs(1–5 ML)/InP SQW
Optical transition energy; Photoreflectance, 44
Indium
Copper; Alloy; Hall coefficient, 192
Infinite-layer structure
Reactive sputtering; Alternative deposition; Thin film; $Sr_{1-x}Na_xCuO_2$, 120
Integrated optical
Thick silicon oxide layer; TEOS PECVD; Waveguide, 60
Interface
Multilayer film; Hydrogen radical; Structure, 6
Ion plating
TEM; Microstructure; Residual stress, 125
Carbon; Nitride; Hardness, 165
Ion plating
TiN; Sputtering, 173
Ionicity
GaAs/ZnSe/CaF_2; Buffer layer; Wettability, 15
Laser deposition
Oxides; Epitaxy; Structural properties, 82
Lateral force microscopy
$SrBi_2Ta_2O_9$ thin film; Crystallization; X-ray diffraction, 65
Leakage current
$Ba(Ti_{0.88}Zr_{0.12})O_3$ (BTZ); Sputtering; Thin films; Dielectric constant, 77
Macro-particle
CrN; Bias effect; Edge effect; Arc ion plating, 133
Magnetic properties
Fcc iron; Multilayers, 196
Magneto-optical film
Monte Carlo simulation; Thin-film growth; Magnetron sputtering deposition; Ternary alloy sputtering, 225
Magnetron sputtering deposition
Monte Carlo simulation; Thin-film growth; Ternary alloy sputtering; Magneto-optical film, 225
Mercury-cadmium-telluride (MCT)
Passivity anodic oxide; Surface states (interface states); Surface potential, 40
Metallic glasses
Solid-state reaction; Films; Immiscible, 201
Metalorganic chemical vapor deposition (MOCVD)
Zinc phosphide (Zn_3P_2); Thin films; Electrical properties, 25
Micro-tribology
Computer simulation; Molecular dynamics; Silicon, 221
Micropattern
Diamond; Plasma CVD; Platinum, 161
Microstructure
TEM; Ion plating; Residual stress, 125
Microwave plasma
Aluminum nitride; CVD, 145
Mist
$NdBa_2Cu_3O_y$; Plasma; Sol, 87
Molecular beam epitaxy
Transmission electron microscopy; Heteroepitaxy; Nucleation; Coalescence, 1
Molecular dynamics
Simulation; Punching; Thin film; Copper, 214
Computer simulation; Micro-tribology; Silicon, 221
Monte Carlo simulation
Thin-film growth; Magnetron sputtering deposition; Ternary alloy sputtering; Magneto-optical film, 225
Multicompositional coatings
Compositionally gradient interlayers; Enhanced adhesion strength; ZrN; TiN, 151
Multilayer film
Hydrogen radical; Interface; Structure, 6
Multilayer
Giant magnetoresistance (GMR); Nanogranular; Alloy film, 206
Multilayers
Magnetic properties; Fcc iron, 196
NO_2 gas
Phthalocyanine; Solar cell; Thin film; Organic pigment, 187
Nanocrystalline
Photocatalytic degradation; Semiconductor film; Nanoporous, 103
Nanogranular
Giant magnetoresistance (GMR); Alloy film; Multilayer, 206
Nanoporous
Photocatalytic degradation; Semiconductor film; Nanocrystalline, 103
$NdBa_2Cu_3O_y$
Plasma; Mist; Sol, 87
Nickel oxide electrode
Alkaline storage battery; Electrochemical impregnation; Electrochemical deposition, 117
Nitride
III–V compound semiconductors; Sputtering; Epitaxial growth, 49
Carbon; Hardness; Ion plating, 165
Nucleation
Transmission electron microscopy; Molecular beam epitaxy; Heteroepitaxy; Coalescence, 1
OES
PECVD; Silicon oxide, 92
Optical density (OD)
X-Ray diffraction (XRD), 113
Optical transition energy
InP/InGaAs(1–5 ML)/InP SQW; Photoreflectance, 44
Organic pigment
Phthalocyanine; Solar cell; Thin film; NO_2 gas, 187
Orientation
Strontium titanate; Dielectric property, 71
Oxides
Laser deposition; Epitaxy; Structural properties, 82
PECVD
Silicon oxide; OES, 92
Passivity anodic oxide
Mercury-cadmium-telluride (MCT); Surface states (interface states); Surface potential, 40

Photocatalytic degradation
Semiconductor film; Nanocrystalline; Nanoporous, 103
Photoemission
Synchrotron radiation; Band offset; Tight binding, 20
Photoreflectance
ZnSe/GaAs heterointerface; Electric field; Fast Fourier transform, 11
Photoreflectance
InP/InGaAs(1–5 ML)/InP SQW; Optical transition energy, 44
Phthalocyanine
Solar cell; Thin film; NO_2 gas; Organic pigment, 187
Plasma CVD
Silicon oxide; Water-repellency; Fluroalkylsilane, 54
Diamond; Platinum; Micropattern, 161
Plasma
$NdBa_2Cu_3O_y$; Mist; Sol, 87
Platinum
Diamond; Plasma CVD; Micropattern, 161
Polymer grafted carbon black
Thin film resistor; Conducting polymer, 182
Punching
Simulation; Thin film; Copper; Molecular dynamics, 214
Reactive sputtering
Alternative deposition; Thin film; $Sr_{1-x}Na_xCuO_2$; Infinite-layer structure, 120
Residual stress
TEM; Microstructure; Ion plating, 125
Resistivity
Sputtering target; ITO, 30
Semiconductor film
Photocatalytic degradation; Nanocrystalline; Nanoporous, 103
Silicon nitride
X-ray total reflection analysis; X-ray photoelectron spectroscopy; Thin films, 140
Silicon oxide
Water-repellency; Plasma CVD; Fluroalkylsilane, 54
PECVD; OES, 92
Silicon
Thin films; Titanium oxide; Solid-state reaction; Dielectric, 109
Computer simulation; Molecular dynamics; Micro-tribology, 221
Simulation
Punching; Thin film; Copper; Molecular dynamics, 214
Sol
$NdBa_2Cu_3O_y$; Plasma; Mist, 87
Solar cell
Phthalocyanine; Thin film; NO_2 gas; Organic pigment, 187
Solid-state reaction
Thin films; Titanium oxide; Dielectric; Silicon, 109
Metallic glasses; Films; Immiscible, 201
Sputtering target
ITO; Resistivity, 30
Sputtering
Transparent conductive film; ZnO; ZnO:Al, 35
III–V compound semiconductors; Nitride; Epitaxial growth, 49
$Ba(Ti_{0.88}Zr_{0.12})O_3$ (BTZ); Thin films; Dielectric constant; Leakage current, 77
TiN; Ion plating, 173
$Sr_{1-x}Na_xCuO_2$
Reactive sputtering; Alternative deposition; Thin film; Infinite-layer structure, 120
$SrBi_2Ta_2O_9$ thin film
Crystallization; Lateral force microscopy; X-ray diffraction, 65
Strontium titanate
Orientation; Dielectric property, 71
Structural properties
Laser deposition; Oxides; Epitaxy, 82
Structure
Multilayer film; Hydrogen radical; Interface, 6
Surface potential
Mercury-cadmium-telluride (MCT); Passivity anodic oxide; Surface states (interface states), 40
Surface states (interface states)
Mercury-cadmium-telluride (MCT); Passivity anodic oxide; Surface potential, 40
Synchrotron radiation
Photoemission; Band offset; Tight binding, 20
TBCs
EB-PVD; Thermal barrier effect, 98
TEM
Microstructure; Ion plating; Residual stress, 125
TEOS PECVD
Thick silicon oxide layer; Integrated optical; Waveguide, 60
Ternary alloy sputtering
Monte Carlo simulation; Thin-film growth; Magnetron sputtering deposition; Magneto-optical film, 225
Thermal barrier effect
TBCs; EB-PVD, 98
Thick silicon oxide layer
TEOS PECVD; Integrated optical; Waveguide, 60
Thin film resistor
Polymer grafted carbon black; Conducting polymer, 182
Thin film
Reactive sputtering; Alternative deposition; $Sr_{1-x}Na_xCuO_2$; Infinite-layer structure, 120
Phthalocyanine; Solar cell; NO_2 gas; Organic pigment, 187
Simulation; Punching; Copper; Molecular dynamics, 214
Thin films
Zinc phosphide (Zn_3P_2); Metalorganic chemical vapor deposition (MOCVD); Electrical properties, 25
$Ba(Ti_{0.88}Zr_{0.12})O_3$ (BTZ); Sputtering; Dielectric constant; Leakage current, 77
Titanium oxide; Solid-state reaction; Dielectric; Silicon, 109
X-ray total reflection analysis; X-ray photoelectron spectroscopy; Silicon nitride, 140
Thin-film growth
Monte Carlo simulation; Magnetron sputtering deposition; Ternary alloy sputtering; Magneto-optical film, 225
TiN
Ion plating; Sputtering, 173
TiN
Multicompositional coatings; Compositionally gradient interlayers; Enhanced adhesion strength; ZrN, 151
Tight binding
Photoemission; Synchrotron radiation; Band offset, 20
Titanium oxide
Thin films; Solid-state reaction; Dielectric; Silicon, 109
Transmission electron microscopy
Molecular beam epitaxy; Heteroepitaxy; Nucleation; Coalescence, 1
Transparent conductive film
ZnO; ZnO:Al; Sputtering, 35
Water-repellency
Silicon oxide; Plasma CVD; Fluroalkylsilane, 54
Waveguide
Thick silicon oxide layer; TEOS PECVD; Integrated optical, 60
Wettability
GaAs/ZnSe/CaF_2; Ionicity; Buffer layer, 15
X-Ray diffraction (XRD)
Optical density (OD), 113
X-ray diffraction
$SrBi_2Ta_2O_9$ thin film; Crystallization; Lateral force microscopy, 65

X-ray photoelectron spectroscopy
X-ray total reflection analysis; Silicon nitride; Thin films, 140
X-ray total reflection analysis
X-ray photoelectron spectroscopy; Silicon nitride; Thin films, 140
Zinc phosphide (Zn_3P_2)
Metalorganic chemical vapor deposition (MOCVD); Thin films; Electrical properties, 25
ZnO:Al
Transparent conductive film; ZnO; Sputtering, 35
ZnO
Transparent conductive film; ZnO:Al; Sputtering, 35
ZnSe/GaAs heterointerface
Electric field; Fast Fourier transform; Photoreflectance, 11
ZrN
Multicompositional coatings; Compositionally gradient interlayers; Enhanced adhesion strength; TiN, 151